



CIR-CUT II


Portable Circle Cutting Machine

Features and Benefits

- **Oxy-fuel circle cutting machine**
Bevel or straight cut circles or holes
- **Rotating gas manifold**
Tangle-free hoses for ease of use
- **Electro Magnet**
Holds the machine to surface, enables vertical surface cutting.
- **Excellent cutting capacity**
Circle diameters ranging from \varnothing 40 - 200 mm, cutting thickness up to 30 mm and bevelling 0° - 45°
- **Lightweight and compact**
11.3kg compact body with a large lifting handle makes the machine extremely portable
- **Centering pin**
Accurate and easy positioning of the machine

The **Cir-Cut II** is a portable automatic oxy-fuel circle cutting machine, designed to cut or bevel circles on flat or vertical surfaces, and any angles in between.

High quality results done quickly and easily makes this Koike machine a must in your inventory for circle cutting.



Versatile circle cutting machine

on flat and vertical surfaces

The **Cir-Cut II** is specially designed to maximize productivity of circle and hole cutting on flat and vertical surfaces.

The 11.3 kg compact body is made of robust aluminium die-cast body and easy to carry with large lifting handle. The 300 kg/f electro magnet allows the machine to be positioned in vertical position. Tangle-free rotational gas manifold gives no loads to the torch, providing an excellent smooth feed through out the cut.

Radius indicator on the cross feed bar and bevel angle indicator on the torch ensures high quality cuts to be achieved with minimal setup time.



Bevel cutting



Vertical surface

Accessories

Optional accessories

Accessory	Stock #	Description
Transformer AC230V - 110V	90100	For 110V models



Type and Specification

Specification

	CIR-CUT II
Cutting thickness	5 – 30 mm
Cutting diameter	Ø 40 - 200 mm
Torch rotation speed	0.6 - 6.0 rpm
Bevel angle	0 - 45°
Machine securing	Electromagnet (300kg)
Input power	AC 110V
Dimension	L410 x W450 x H395 mm
Weight	11.3 kg

Types

Model	Stock #
CIR-CUT II 110V	90073

Scope of delivery

Scope of delivery
Machine body with torch set
Centering pin
Cutting nozzles (102HC or 106HC, size #0, 1, 2)
Power cable
Standard tool set
Operation manual



KOIKE Portable Machines and Gas Equipment v.1.04 © 2016 Koike Europe B.V. Technical changes as well as errors and printing mistakes are reserved. 11/2016

Headquarter:

Koike Europe B.V.

Grote Tocht 19
1507 CG Zaandam
The Netherlands

Tel +31-(0)75 - 612 - 7227
Fax +31-(0)75 - 670 - 2271
info@koike-europe.com
www.koike-europe.com

Koike Europe B.V.

Germany Branch Office

Im Löchel 2
35423 Lich-Eberstadt
Deutschland

Tel +49-(0)6004 - 91 - 6930
Fax +49-(0)6004 - 91 - 6931- 01
info.germany@koike-europe.com
www.koike-europe.com

Koike France S.a.r.l.

Espace Mercure
Z.A.E. Les Dix Muids
59770 Marly
France

Tel +33-32730-4343
Fax +33-32730-1250
info@koike-europe.com
www.koike-europe.com

Koike Italia Srl

Via Papa Giovanni XXIII, n 45
20090 - RODANO (MILANO)
Italy

Tel +39-02953 - 28 - 717
Fax +39-02739 - 60 - 447
info@koike-europe.com
www.koike-europe.com

Koike Middle East FZE

SAIF Zone Sharjah-UAE
P.O. Box 122978
United Arab Emirates

Mobile +971561177615 /
+971566453803
Fax +9716-5312805
b.pandey@koike-europe.com
www.koike-europe.com