



# Hand Torch

## Heavy Duty Gas Cutting Torches

### Features and Benefits

- **Tip mixing system**
- **Precisely balanced**
- **Heavy ribbed round handle**
- **Internal tip nut**
- **Easy grip gas valves**

Each cutting torch is built to the highest standards, then stringently tested to insure safe; long life operation. Designed for the professional for use in industries such as metal fabrication, shipyards, salvage, construction and other general purpose uses.



## Ergonomics

### Precisely balanced, long lasting hand torches

- **Tip mixing system**  
The triple-seat nozzle mixing system assures greater safety and reduces the risk of flashback and backfire
- **Precisely balanced**  
Each torch is designed to provide ease of use in any application.
- **Heavy ribbed round handle**  
Provides good ventilation and a sure handed grip on the torch
- **Internal tip nut**  
Protects threads in torch head
- **Easy grip gas valves**  
Allows gloved hands to quickly and accurately set preheat flame



## SILVER-CUT Series

- **Lightweight and compact**, well balanced heavy duty hand cutting torch
- **Chrome plated**
- **Triangular tube configuration** for greater strengths

### SILVER-CUT K250



#### SILVER-CUT K250

Torch lengths	495 mm
Weight	1.0 kg
Cutting capacity	Max. 250 mm
Torch head angle	90°
Fuel gas type	Any medium pressure fuel gas

Types	Connection	Stock #
SILVER-CUT K250	G3/8 RH-LH	80496
SILVER-CUT K250 9/16	9/16" RH-LH	80495



## MK Series

- **Expertly crafted in Japan**
- **Robust**, Heavy duty hand cutting torch
- **Three stainless steel tubes** provides strengths and durability while keeping gases separated to mix safe in the cutting nozzle.
- Cutting oxygen **lever with lock function**. (excl. MK-36)
- **Die forged head**, increased strengths and service life

### MK-150



MK-150	
Torch lengths	466 mm
Weight	0.9 kg
Cutting capacity	Max. 150 mm
Torch head angle	90°
Torch connection	G3/8 RH-LH
Fuel gas type	Any medium pressure fuel gas

Types	Stock #
MK-150	80497

### MK-250



MK-250	
Torch lengths	525 mm (standard, 90° head)
Weight	1.5 kg
Cutting capacity	Max. 250 mm
Fuel gas type	Any medium pressure fuel gas

Types	Angle	Connection (RH, LH)	Stock #
MK-250-75D	75°	G1/4, G3/8	80503
MK-250-90D	90°	G3/8, G3/8	80504
MK-250-180D	180°	G3/8, G3/8	DA222815

### MK-300



MK-300	
Torch lengths	661 mm (standard, 90° head)
Weight	1.55 kg
Cutting capacity	Max. 300 mm
Torch head angle	75° and 90°
Torch connection	G1/4RH, G3/8LH
Fuel gas type	Any medium pressure fuel gas

Types	Torch angle	Stock #
MK-300-75D	75°	80507
MK-300-90D	90°	80508

## MK-36




MK-36	
Torch lengths	915mm
Weight	1.5 kg
Cutting capacity	Max. 200 mm
Torch head angle	75° and 90°
Torch connection	G3/8 RH-LH
Fuel gas type	Any medium pressure fuel gas

Types	Torch angle	Stock #
MK-36 75D	75°	DA212825
MK-36 90D	90°	-

## Hand Torch Accessory

### ■ Dual roller guide


Enables stable cutting. Equipped with two smooth rollers and a tip holder.



	Stock #
Dual roller guide	80515

### ■ Circle bar with center pin

Attachment to Dual Roller Guide, enabling circle cutting using hand torch. Cutting diameter adjustable upto Ø 550mm



	Stock #
Circle bar with center pin	80516



KOIKE Portable Machines and Gas Equipment v.1.04 © 2016 Koike Europe B.V. Technical changes as well as errors and printing mistakes are reserved. 11/2016

## Headquarter:

### Koike Europe B.V.

Grote Tocht 19  
1507 CG Zaandam  
The Netherlands

Tel +31-(0)75 - 612 - 7227  
Fax +31-(0)75 - 670 - 2271  
info@koike-europe.com  
www.koike-europe.com

### Koike Europe B.V.

#### Germany Branch Office

Im Löchel 2  
35423 Lich-Eberstadt  
Deutschland

Tel +49-(0)6004 - 91 - 6930  
Fax +49-(0)6004 - 91 - 6931- 01  
info.germany@koike-europe.com  
www.koike-europe.com

### Koike France S.a.r.l.

Espace Mercure  
Z.A.E. Les Dix Muids  
59770 Marly  
France

Tel +33-32730-4343  
Fax +33-32730-1250  
info@koike-europe.com  
www.koike-europe.com

### Koike Italia Srl

Via Papa Giovanni XXIII, n 45  
20090 - RODANO (MILANO)  
Italy

Tel +39-02953 - 28 - 717  
Fax +39-02739 - 60 - 447  
info@koike-europe.com  
www.koike-europe.com

### Koike Middle East FZE

SAIF Zone Sharjah-UAE  
P.O. Box 122978  
United Arab Emirates

Mobile +971561177615 /  
+971566453803  
Fax +9716-5312805  
b.pandey@koike-europe.com  
www.koike-europe.com